

Mountain Longleaf National Wildlife Refuge

Checklist Bargraph Data

ABUNDANCE DEFINITIONS

- ABUNDANT: Present in moderate to large numbers, and easily found in suitable habitat at the right time of year.
- COMMON: Present in small to moderate numbers, and usually can be found in suitable habitat at the right time of year.
- ===== UNCOMMON: Present in small numbers, and sometimes but not always found with some effort in suitable habitat at the right time of year.
- ===== OCCASIONAL: Occurs annually in very small numbers. Not to be expected on any given day, but some species might be found with extended effort over the course of the appropriate season(s).
- RARE: Occurs less than annually, but there tends to be a pattern over time at the right time of year in suitable habitat; 4 or more records in last 10 years.
- ACCIDENTAL: Represents an exceptional occurrence that might not be repeated again for years; 3 or fewer records in last 10 years.
- IRRUPTIVE: Represents an irruptive species whose numbers are highly variable from year to year. There may be small to even large numbers present in one year, while in another year it may be absent altogether.


SYMBOLS USED

* after species name indicates breeding

J F M A M J J A S O N D


Nuthatches

- ☐ Red-breasted Nuthatch
☐ White-breasted Nuthatch*
☐ Brown-headed Nuthatch*




Wrens

- ☐ Carolina Wren*
☐ House Wren
☐ Winter Wren



Kinglets

- ☐ Golden-crowned Kinglet
☐ Ruby-crowned Kinglet




Old World Warblers and Gnatcatchers

- ☐ Blue-gray Gnatcatcher*



Thrushes

- ☐ Eastern Bluebird*
☐ Veery
☐ Gray-cheeked Thrush
☐ Swainson's Thrush
☐ Hermit Thrush
☐ Wood Thrush*
☐ American Robin*




Mockingbirds and Thrashers

- ☐ Gray Catbird*
☐ Northern Mockingbird*
☐ Brown Thrasher*



Starlings

- ☐ European Starling*




Waxwings

- ☐ Cedar Waxwing*



Wood-Warblers

- ☐ Blue-winged Warbler
☐ Golden-winged Warbler
☐ Tennessee Warbler
☐ Orange-crowned Warbler
☐ Nashville Warbler
☐ Northern Parula*
☐ Yellow Warbler
☐ Chestnut-sided Warbler
☐ Magnolia Warbler
☐ Cape May Warbler
☐ Black-throated Blue Warbler
☐ Yellow-rumped Warbler
☐ Black-throated Green Warbler*



J F M A M J J A S O N D

Wood-Warblers

__ Blackburnian Warbler

__ Yellow-throated Warbler*

__ Pine Warbler*

__ Prairie Warbler*

__ Palm Warbler

__ Bay-breasted Warbler

__ Blackpoll Warbler

__ Cerulean Warbler

__ Black-and-white Warbler*

__ American Redstart*

__ Prothonotary Warbler*

__ Worm-eating Warbler*

__ Ovenbird*

__ Northern Waterthrush

__ Louisiana Waterthrush*

__ Kentucky Warbler*


__ Common Yellowthroat*

__ Hooded Warbler*

__ Wilson's Warbler

__ Canada Warbler

__ Yellow-breasted Chat*



Tanagers

__ Summer Tanager*

__ Scarlet Tanager*



Emberizids

__ Eastern Towhee*

__ Chipping Sparrow*

__ Field Sparrow*

__ Vesper Sparrow

__ Savannah Sparrow


__ Fox Sparrow

__ Song Sparrow

__ Swamp Sparrow

__ White-throated Sparrow

__ Dark-eyed Junco



Cardinals, Saltators, and Allies

__ Northern Cardinal*

__ Rose-breasted Grosbeak

__ Blue Grosbeak*


__ Indigo Bunting*



Blackbirds

__ Red-winged Blackbird

__ Rusty Blackbird



J F M A M J J A S O N D


Blackbirds

Common Grackle

__Brown-headed Cowbird*

___ Orchard Oriole*

__Baltimore Oriole



Fringilline and Cardueline Finches and Allies

___Purple Finch

__House Finch

__Pine Siskin

__American Goldfinch*

__Evening Grosbeak

